

## LISTING OF CLAIMS

*With new numbering as requested in the Office Action at page 2.*

---

1. (Previously Presented) An integrated mobile device that provides local functionality and communication functionality, comprising:

a power supply;

a computing unit, coupled to the power supply;

a radio communication unit; and

a switch, coupled to power supply and to the computing unit, to selectively couple the radio communication unit to the power supply, to provide first and second modes of operation, wherein the first mode of operation enables the computing unit and the radio communication unit, and the second mode of operation disables the radio communication unit and enables the computing unit.

2. (Previously Presented) The device of claim 1, wherein the radio communication unit provides cellular communication between the mobile device and an external entity.

3. (Original) The wireless communication device of claim 1, wherein the computing unit comprises:

a data storage area to store information; and

a processor, coupled to the data storage area, to retrieve the information.

4. (Original) The wireless communication device of claim 3, wherein the information includes random access information.

5. (Previously Presented) The wireless communication device of claim 3, wherein the information includes read-only information.

6. (Original) The wireless communication device of claim 3, wherein the information includes multimedia information.
7. (Previously Presented) The wireless communication device of claim 1, wherein the computing unit, when the radio communication unit is enabled, provides data communication functionality between the mobile device and an external entity.
8. (Previously Presented) The wireless communication device of claim 7, wherein the external entity comprises an adaptive array base station.
9. (Original) A method for selectively disabling the wireless communication functionality of an integrated portable computing-communication device, the method comprising:
- 31 providing a first mode of operation in which both wireless communication functionality and local functionality of the device are enabled;
- providing a second mode of operation in which the communication functionality is disabled and the local functionality is enabled; and
- selectively switching between the first and second modes of operation.
10. (Original) The method of claim 9, further comprising providing a third mode of operation in which neither the wireless communication functionality nor the local functionality of the device is enabled.
11. (Previously Presented) The method of claim 9, wherein selectively switching between the first and second modes of operation comprises:
- in the first mode of operation, providing power to a computing unit and a radio communication unit of the integrated portable computing-communication device, wherein the computing unit provides the local functionality and the radio communication unit provides the communication functionality; and

in the second mode of operation, providing power to the computing unit, and not providing power to the communication unit.

12. (Previously Presented) The method of claim 9, wherein selectively switching between the first and second modes of operation comprises disabling at least a portion of a radio communication unit that provides the communication functionality in the second mode of operation.

13. (Previously Presented) The method of claim 9, wherein the first mode of operation provides transfer of data between the portable device and an external entity.

14. (Previously Presented) The method of claim 13, wherein the external entity includes a base station coupled to a data communication network.

15. (Previously Presented) The method of claim 14, wherein the external entity further includes a voice communication network.

16. (Previously Presented) The method of claim 14, wherein the data communication network includes the Internet.

17. (Previously Presented) A multifunction portable apparatus that provides wireless communication and local functionality, the apparatus comprising:

a first means for providing local functionality;

a second means for providing communication functionality; and

a selection means for selecting between a first mode of operation, wherein both the local functionality and the communication functionality are provided, and a second mode of operation, where the local functionality is provided and the communication functionality is disabled.

18. (Previously Presented) The apparatus of claim 17, wherein the selection means comprises a switching means to switch between the first and second modes of operation.

19. (Previously Presented) The apparatus of claim 18, wherein the switching means is coupled to a power supply means, the switching means to disable the supply of power from the power supply means to at least a portion of the second means.

31 20. (Previously Presented) The apparatus of claim 17, wherein an external entity triggers the selection means to select between the first and second modes of operation.

21. (Previously Presented) The apparatus of claim 20, wherein the external entity comprises a transmitter to transmit a signal that triggers the selection means to select between the first and second modes of operation.

22. (Previously Presented) The apparatus of claim 17, further comprising an indication means for indicating whether the apparatus is operating in the first or the second mode of operation.

---